Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	285	(automobile\$1 or project\$1) same man-hour\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:24
L2	0	(automobile\$1 or project\$1) same man-hour\$1 same (conver\$5near2 table\$1) same manag\$5 near2 table\$1 same (output\$4 near2 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:25
L3	0	(automobile\$1 or project\$1) same (man-hour\$1 or manhour\$1) same (conver\$5near2 table\$1) same manag\$5 near2 table\$1 same (output\$4 near2 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:26
L4	0	(automobile\$1 or project\$1) same (man-hour\$1 or manhour\$1) same (conver\$5 near2 table\$1) same manag\$5 near2 table\$1 same (output\$4 near2 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:26
L5	3	1 and 705/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:27
L6	0	1 and 707/101,102,103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:27
L7	11	1 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:27



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

≱®§Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search



Recent Search Queries

Fri, 11 Nov 2005, 1:20:39 PM EST

4 1	((automobiles <in>metadata) <and>(man-hour<in>metadata))</in></and></in>
#2	((automobiles <in>metadata)<and>(man-hour<in>metadata))</in></and></in>
#3	((automobiles <in>metadata)<and>(man-hour<in>metadata))</in></and></in>
#4	((man-hour <in>metadata) <and> (project<in>metadata))</in></and></in>
<u>#5</u>	$ ((((\ man-hourmetadata \) (\ projectmetadata \)))((\ man-hourmetadata \) (\ projectmetadata \)) and man-hour)) $
# 6	$ ((((\ (\ man-hour< in>metadata\) < and> (\ project< in>metadata\)\))< AND>(\ (\ man-hour< in>metadata\) < and> (\ project< in>metadata\)\) and man-hour) $
<u>#7</u>	$\label{lem:continuous} $$ ((((man-hourmetadata) (projectmetadata)))((man-hourmetadata) (projectmetadata)) and man-hour) $



Help Contact Us Privac

© Copyright 2005 IE